

MACHINE	FLEXO PRINTING MACHINE CI
BRAND	BONARDI
MODEL	NEVE 1200/8
YEAR	2001

Main technical features:

Printing decks	8
<i>Printing possibility</i>	8+0; 8+8 AT 45% PRINTING WIDTH
Printing width:	1200mm
<i>Web width:</i>	1250mm
<i>Pitch</i>	5mm (helicoil gears)
<i>Max printng speed:</i>	150-200m/min
Min-Max printing repeat:	350-1050mm
<i>axial register:</i>	motorised
<i>longitudinal register:</i>	motorised
<i>Power supply:</i>	eurovoltage
<i>machine color:</i>	grey RAL 9018/blue
<i>Chromed C.D. diameter:</i>	2300mm
<i>Printing section frame thickness:</i>	140mm
Unwinder OD:	800mm
Rewinder OD:	800mm
<i>Core:</i>	cardboard
<i>Inks:</i>	solvent based
<i>Internal turning bars:</i>	For front and back printing
<i>3 x edge/center guides:</i>	BST
<i>F-B register automatic control:</i>	zelo
<i>Continious printng inspection:</i>	2 x cameras type RGB 19"monitor
<i>Edge/slit device system with venturi for trim extraction</i>	
<i>Antistatic bars</i>	
<i>Viscosity controllers</i>	8+2

Sleeves.**Gears**

<i>Repeat</i>	<i>No of</i>	<i>No Teeth</i>	<i>No of G</i>
410	8	82	8
545	24	109	12
560	20	112	12
585	8	117	8
615	2	123	2
655	8	131	8
660	8	132	7
680	8	136	8
715	8	143	8
755	16	151	8
770	16	154	8
805	3	161	3
810	8	162	8
835	8	167	8
850	8	170	10
1000	24	200	8
1010	24	202	16
1025	18	205	8
1040	18	208	10

Air mandrels**Anilox rollers**

<i>Repeat range</i>	<i>No of</i>	<i>Screen count</i>	<i>No of</i>
410	9	70	1
545-585	9	80	2
615-850	9	100	2
1000-1040	9	120	1
		140	1
		160	1
		195	1
		255	6
		285	1







